

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 1

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

NEXEO SOLUTIONS, LLC  
3250 SOUTHWEST BLVD  
GROVE CITY, OH 43123

\*\*\*\*\* MATERIAL SAFETY DATA SHEET \*\*\*\*\*

\*  
THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.  
\*  
\*  
IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.  
\*  
\*  
THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1\*  
FLAMMABILITY ----->0  
REACTIVITY ----->0  
PERSONAL PROTECTION -->E

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 2

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

NEXEO SOLUTIONS, LLC  
3250 SOUTHWEST BLVD  
GROVE CITY, OH 43123

-----  
SECTION I - PRODUCT INFORMATION:  
-----

PRODUCT DESCRIPTION:

BRIGHT WHITE OMNI COLOR CONC

PRODUCT CODE:

UN0005\*

VERSION NUMBER:

6

REVISION DATE:

8/30/13

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

-----  
SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:  
-----

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW  
WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE  
OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200

CAS NUMBER	DESCRIPTION	OSHA	ACGIH	OTHER LIMITS	DOES NOT EXCEED(%)
		PEL MG/M3	TLV MG/M3		
13463-67-7	TITANIUM DIOXIDE	15.0	10.0	-	57.80
21645-51-2	ALUMINUM HYDROXIDE (AS AL)	N.E.	10.0	-	2.92
7631-86-9	SILICON DIOXIDE, AMORPHOUS	6.0	10.0	-	2.34
7128-64-5	DRV OF BUTYLBENZOXAZOLE	-	-	10.0	.14
8050-26-8	PROPRIETARY	N.E.	N.E.	-	23.85

-----  
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:  
-----

BOILING POINT: N.A.  
SPECIFIC GRAVITY: 3.8 - 4.3  
VAPOR PRESSURE: N.A.  
MELTING POINT: Non Determined  
VAPOR DENSITY: N.A.  
EVAPORATION RATE: N.A.  
SOLUBILITY IN WATER: INSOLUBLE  
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA:  
-----

FLASH POINT (METHOD USED):

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 3

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)  
-----

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 260 C.  
THE METHOD USED TO DETERMINE THIS IS: ASTM D1929-77  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. ELECTRICAL  
GROUNDING OF ALL EQUIPMENT REQUIRED WHEN HANDLING POWDER TO PREVENT  
POSSIBLE DUST EXPLOSION.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

ELECTRICAL GROUNDING OF EQUIPMENT IS REQUIRED WHEN HANDLING POWDER TO  
PREVENT POSSIBLE DUST EXPLOSION. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

-----  
SECTION V - REACTIVITY DATA:  
-----

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID):

OXIDIZING AND REDUCING AGENTS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM  
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

SMOKING, OPEN FLAMES, SPARKS AND OTHER SOURCES OF IGNITION AND HEAT.

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 4

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY IHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE. INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

MAY CAUSE HEADACHE, NAUSEA, VOMITING, BREATHING DIFFICULTIES, AND WEAKNESS. POSSIBLE KIDNEY DAMAGE MAY RESULT FROM INGESTION OF LARGE QUANTITIES.

HEALTH HAZARD: EYE CONTACT

CONTACT WITH EYE MAY CAUSE EYE IRRITATION

-----  
IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE  
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES  
-----

SIGNS AND SYMPTOMS OF EXPOSURE:

\* THE FOLLOWING INFORMATION IS PROVIDED ON THE BELOW HAZARDOUS  
INGREDIENT(S) PER OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

TITANIUM DIOXIDE: MAY CAUSE MILD AND TEMPORARY UPPER RESPIRATORY IRRITATION WITH COUGH AND SHORTNESS OF BREATH. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE DRYING AND CRACKING OF THE SKIN IN SENSITIVE INDIVIDUALS.  
AMORPHOUS SILICA: MAY CAUSE EYE IRRITATION WITH DISCOMFORT, TEARING, OR BLURRING OF VISION. MAY CAUSE SLIGHT SKIN IRRITATION WITH DISCOMFORT OR RASH.

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 5

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

OPTICAL BRIGHTNER: NOT EXPECTED TO CAUSE EYE AND SKIN IRRITATION. SUDDEN  
RELEASE OF PRESSURE (EXPLOSION) HAZARD.

PROPRIETARY: MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.  
INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. PROLONGED CONTACT MAY  
CAUSE SKIN SENSITIZATION AND CAUSES RESPIRATORY SENSITIZATION (ALLERGIC  
REACTION SUCH AS ASTHMA).

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)  
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE  
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,  
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.  
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

TITANIUM DIOXIDE: NONE KNOWN

OPTICAL BRIGHTNER: NONE KNOWN

PROPRIETARY: SKIN ALLERGIES

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL  
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD  
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS  
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE  
VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL  
ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 6

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL  
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:  
-----

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT  
IN A SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

INCINERATE IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTER BURNER AND  
SCRUBBER. FOLLOW ALL FEDERAL, STATE AND LOCAL REGULATIONS.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH  
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP  
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

USE UNDER WELL-VENTILATED CONDITIONS AND RECOMMEND THAT EMPLOYEES WASH  
THOROUGHLY AFTER HANDLING PRODUCT.

-----  
SECTION VIII - CONTROL MEASURES:  
-----

CONTROL: RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR MAY BE NEEDED WHEN  
HANDLING MOLTEN MATERIAL.

CONTROL: VENTILATION

USE ONLY WITH ADEQUATE VENTILATION AND DUST CONTAINMENT.

CONTROL: GLOVES

RUBBER

CONTROL: EYE PROTECTION

GOGGLES

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 7

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION VIII - CONTROL MEASURES: (CONT)  
-----

CONTROL: OTHER CLOTHING

WEAR LONG SLEEVED SHIRTS AND PANTS TO MINIMIZE SKIN CONTACT.

CONTROL: WORK/HYGIENE

EYE WASH STATION SHOULD BE AVAILABLE IN AREAS OF USE. WASH HANDS AND FACE  
BEFORE EATING, DRINKING OR SMOKING.

-----  
SECTION IX - OTHER REGULATORY INFORMATION:  
-----

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
NONE		

REACH REGULATION - THE SVHC REPORTED IN THE PROPOSAL LIST FOR INCLUSION  
IN ANNEX XIV (ART 59.4) AND ACCORDING TO OUR KNOWLEDGE AND THE REACH  
REGULATION ITSELF. DETAILS ABOUT SVHC CONTAINED IN OUR MB ARE HEREUNDER  
REPORTED AS OF FEBRUARY 2010.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
NONE		

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.

THIS MSDS ADHERES TO THE REGULATORY REQUIREMENTS OF THE USA AND MAY NOT  
MEET THE REGULATORY REQUIREMENTS IN OTHER COUNTRIES.

-----  
SECTION X - STATE REGULATORY INFORMATION:  
-----

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE CANCER ARE LISTED BELOW:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 8

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. WARNING! THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. THE LISTING OF TITANIUM DIOXIDE (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE) AS A CARCINOGEN IS EFFECTIVE SEPTEMBER 2, 2011. THE LISTING DOES NOT COVER TITANIUM DIOXIDE WHEN IT REMAINS BOUND DOES NOT COVER MATRIX.

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE FLORIDA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

MASSACHUSETTS: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE MASSACHUSETTS HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:



-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 8/30/13  
PAGE: 9

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION  
MNSP - CLARIANT MASTERBATCHES  
9101 INTERNATIONAL PARKWAY  
MINNEAPOLIS MN 55428  
PHONE: 800 328 5589

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: BRIGHT WHITE OMNI COLOR CONC  
PRODUCT CODE: UN0005\*

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

TITANIUM DIOXIDE  
AMORPHOUS SILICA

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

TITANIUM DIOXIDE  
AMORPHOUS SILICA

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.