
M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 1

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

NEXEO SOLUTIONS, LLC
3250 SOUTHWEST BLVD
GROVE CITY, OH 43123

***** MATERIAL SAFETY DATA SHEET *****

*
THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.
*
*
IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.
*
*
THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1*
FLAMMABILITY ----->0
REACTIVITY ----->0
PERSONAL PROTECTION -->E

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 2

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

NEXEO SOLUTIONS, LLC
3250 SOUTHWEST BLVD
GROVE CITY, OH 43123

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801 VERSION NUMBER: 6 REVISION DATE: 7/29/13
CHEMICAL NAME/FAMILY: THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW
WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE
OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200

CAS NUMBER	DESCRIPTION	OSHA PEL MG/M3	ACGIH TLV MG/M3	OTHER LIMITS	DOES NOT EXCEED(%)
13463-67-7	TITANIUM DIOXIDE	15.0	10.0	-	49.41
21645-51-2	ALUMINUM HYDROXIDE (AS AL)	N.E.	10.0	-	.15
1317-65-3	LIMESTONE (TOTAL DUST)	15.0	10.0	5.0	10.00
14808-60-7	SILICA, CRYSTALLINE QUARTZ	0.1	0.1	-	.20
8050-26-8	PROPRIETARY	N.E.	N.E.	-	24.00

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N.A.
SPECIFIC GRAVITY: 3.8 - 4.3
VAPOR PRESSURE: N.A.
MELTING POINT: Non Determined
VAPOR DENSITY: N.A.
EVAPORATION RATE: N.A.
SOLUBILITY IN WATER: INSOLUBLE
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 3

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 345 C.
THE METHOD USED TO DETERMINE THIS IS: COMBUSTABLE FLASH IGNITION TEMPERATUR
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING
APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

HIGH CONCENTRATIONS OF DUST MAY PRESENT A DUST EXPLOSION HAZARD.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATILBILITY (MATERIALS TO AVOID):

AVOID MIXING WITH STRONG OXIDIZING AGENTS OR ALKALI. WHEN MOLTEN, AVOID
CONTACT WITH WATER.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

AVOID EXCESSIVE DUST IN VICINITY OF ELECTRICAL OR OTHER SPARK GENERATING
EQUIPMENT. AVOID EXTREME HEAT.

SECTION VI - HEALTH HAZARD DATA:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 4

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE. INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

CONTACT WITH EYE MAY CAUSE EYE IRRITATION

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

* THE FOLLOWING INFORMATION IS PROVIDED ON THE BELOW HAZARDOUS
INGREDIENT(S) PER OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

TITANIUM DIOXIDE, ALUMINUM HYDROXIDE: IRRITANT,
IARC GROUPED TITANIUM DIOXIDE AS A 2(B) - POSSIBLE CARCINOGENIC TO HUMANS.

LIMESTONE, CRYSTALLINE SILICA, QUARTZ (IMPURITY): THIS PRODUCT CONTAINS
GREATER THAN 0.1% CRYSTALLINE SILICA WHICH IS LISTED AS GROUP 1 CARCINOGEN
BY IARC, KNOWN CARCINOGEN BY NTP, OSHA AND A2 SUSPECTED HUMAN CARCINOGEN
BY ACGIH.

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 5

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION VI - HEALTH HAZARD DATA: (CONT)

PROPRIETARY: MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION.
INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. PROLONGED CONTACT MAY
CAUSE SKIN SENSITIZATION AND CAUSES RESPIRATORY SENSITIZATION (ALLERGIC
REACTION SUCH AS ASTHMA).

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

TITANIUM DIOXIDE & ALUMINUM HYDROXIDES: RESPIRATORY

LIMESTONE, CRYSTALLINE SILICA, QUARTZ (IMPURITIY): NONE NOTED

PROPRIETARY: SKIN ALLERGIES

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE
VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL
ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 6

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT
IN A SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

OBEY APPLICABLE FEDERAL, STATE AND LOCAL LAWS. DO NOT CONTAMINATE ANY
LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION
OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

ATMOSPHERIC LEVELS SHOULD BE MAINTAINED BELOW THE EXPOSURE GUIDELINE. FOR
MOST CONDITIONS, NO RESPIRATORY PROTECTION SHOULD BE NEEDED; HOWEVER, IF
HANDLING AT ELEVATED TEMPERATURES WITHOUT SUFFICIENT VENTILATION, USE AN
APPROVED AIR-PURIFYING RESPIRATOR.

CONTROL: VENTILATION

USE ONLY WITH ADEQUATE VENTILATION AND DUST CONTAINMENT.

CONTROL: GLOVES

BUTYL RUBBER, PVC OR NEOPRENE

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

IF THERE IS POTENTIAL CONTACT WITH HOT/MOLTEN MATERIAL, WEAR HEAT
RESISTANT CLOTHING AND FOOTWEAR.

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 7

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION VIII - CONTROL MEASURES: (CONT)

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

	CAS #	DOES NOT EXCEED(%) DESCRIPTION
NONE		

REACH REGULATION - THE SVHC REPORTED IN THE PROPOSAL LIST FOR INCLUSION IN ANNEX XIV (ART 59.4) AND ACCORDING TO OUR KNOWLEDGE AND THE REACH REGULATION ITSELF. DETAILS ABOUT SVHC CONTAINED IN OUR MB ARE HEREUNDER REPORTED AS OF FEBRUARY 2010.

	CAS #	DOES NOT EXCEED(%) DESCRIPTION
NONE		

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REQUIRED BY FEDERAL LAW.

THIS MSDS ADHERES TO THE REGULATORY REQUIREMENTS OF THE USA AND MAY NOT MEET THE REGULATORY REQUIREMENTS IN OTHER COUNTRIES.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.

HEXACHLOROENZENE

TIO2:THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 8

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION X - STATE REGULATORY INFORMATION: (CONT)

TO CAUSE CANCER. THE LISTING OF TITANIUM DIOXIDE (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE) AS A CARCINOGEN IS EFFECTIVE SEPTEMBER 2, 2011. THE LISTING DOES NOT COVER TITANIUM DIOXIDE WHEN IT REMAINS BOUND WITHIN A PRODUCT MATRIX.
CRYSTALLINE SILICA, QUARTZ (IMPURITY): AIRBORNE PARTICLES OF RESPIRABLE SIZE.
ETHYLBENZENE <100 PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.
HEXACHLOROBENZENE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS
QUARTZ: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE FLORIDA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

MASSACHUSETTS: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE MASSACHUSETTS HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

TITANIUM DIOXIDE
AMORPHOUS SILICA

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 7/29/13
PAGE: 9

SHIPPED FROM: CLARIANT CORPORATION, MASTERBATCHES DIVISION
HOLDEN-CLARIANT MASTERBATCHES
85 HOLDEN INDUSTRIAL PARK
HOLDEN MA 01520
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor PASTEL PINK
PRODUCT CODE: UN3801

SECTION X - STATE REGULATORY INFORMATION: (CONT)

INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:

TITANIUM DIOXIDE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

TITANIUM DIOXIDE
AMORPHOUS SILICA

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.