

0276917-001-US

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 3/24/08  
PAGE: 1

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

\*\*\*\*\* MATERIAL SAFETY DATA SHEETS \*\*\*\*\*

\*  
THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.  
\*

\*  
IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.  
\*

\*  
THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->0

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 2

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

OMNIColor MID BLUE

PRODUCT CODE:

UN5011\*

VERSION NUMBER:

6

DATE: 3/24/08

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CAS NUMBER	DESCRIPTION	OSHA PEL		ACGIH TLV		OTHER LIMITS	DOES NOT EXCEED (%)
		MG/M3	MG/M3	MG/M3	MG/M3		
1333-86-4	CARBON BLACK	3.5	3.5	-	-	-	.01
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	-	-	8.52
21645-51-2	ALUMINUM HYDROXIDE (AS AL)	N.E.	10.0	-	-	-	.78
7631-86-9	SILICON DIOXIDE, AMORPHOUS	6.0	10.0	-	-	-	.96
1317-65-3	LIMESTONE (TOTAL DUST)	15.0	10.0	5.0	-	-	12.75
14808-60-7	SILICA, CRYSTALLINE QUARTZ	0.1	0.1	-	-	-	.26
8050-26-8	PROPRIETARY	N.E.	N.E.	-	-	-	22.96

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: >500F  
SPECIFIC GRAVITY: 1.03  
VAPOR PRESSURE: 760 AT 200F  
MELTING POINT: N/A  
VAPOR DENSITY: 0 AT 77F  
EVAPORATION RATE: <1  
SOLUBILITY IN WATER: NEGLIGIBLE  
APPEARANCE AND ODOR: COLORED PLASTIC PELLETT - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 260 C.

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 3

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)

THE METHOD USED TO DETERMINE THIS IS: ASTM D1929-77  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:  
WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:  
FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE  
FIGHTING TURN-OUT GEAR (BUNKER GEAR). KEEP PERSONNEL REMOVED FROM AND  
UPWIND OF FIRE. WATER SHOULD BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.  
WATER, FOAM AND DRY CHEMICAL MAY CAUSE DAMAGE TO ELECTRICAL EQUIPMENT.

UNUSUAL FIRE AND EXPLOSION HAZARDS:  
AVOID DUST FORMATION AND CONTROL IGNITION SOURCES: EMPLOY GROUNDING,  
VENTING AND EXPLOSION RELIEF PROVISIONS. EMPTY ONLY INTO INERT OR  
NON-FLAMMABLE ATMOSPHERE.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):  
AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID):  
STRONG OXIDIZERS, MOISTURE.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:  
THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM  
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):  
SMOKING, OPEN FLAMES, SPARKS AND OTHER SOURCES OF IGNITION AND HEAT.

SECTION VI - HEALTH HAZARD DATA:

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 4

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE. INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

CONTACT WITH POWDERS OR DUSTS MAY CAUSE MECHANICAL IRRITATION. THERMAL PROCESSING FUMES/VAPORS MAY IRRITATE THE EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CARBON BLACK: CHRONIC EXPOSURE CAN PRODUCE PNEUMOCONIOSIS (CHRONIC INFLAMMATORY AND FIBROTIC LUNG DISEASE) IN WORKERS. IARC HAS CLASSIFIED THIS AS A GROUP 2B (CARCINOGENIC IN ANIMALS).

TITANIUM DIOXIDE: INHALATION MAY INCLUDE MILD AND TEMPORARY UPPER RESPIRATORY IRRITATION WITH COUGH AND SHORTNESS OF BREATH. PROLONGED AND

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 5

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION VI - HEALTH HAZARD DATA: (CONT)

REPEATED CONTACT TO SKIN MAY CAUSE DRYING AND CRACKING IN SENSITIVE INDIVIDUALS.

LIMESTONE, CRYSTALLINE SILICA, QUARTZ (IMPURITY): A KNOWN CARCINOGEN BY NTP, OSHA, CRYSTALLINE SILICA ALSO LISTED AS GROUP 1 CARCINOGEN BY IARC. EYE, SKIN, RESPIRATORY TRACT IRRITANT.

PROPRIETARY: MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. INHALATION MAY CAUSE RESPIRATORY TRACT IRRITATION. PROLONGED CONTACT MAY CAUSE SKIN SENSITIZATION AND CAUSES RESPIRATORY SENSITIZATION (ALLERGIC REACTION SUCH AS ASTHMA).

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CARBON BLACK: NONE KNOWN

TITANIUM DIOXIDE: DISEASES OF THE LUNG

LIMESTONE, CRYSTALLINE SILICA, QUARTZ (IMPURITY): NONE KNOWN

PROPRIETARY: SKIN ALLERGIES

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF CONSCIOUS, GIVE WATER AND THEN INDUCE VOMITING. NEVER GIVE FLUIDS OR INDUCE VOMITING IF THE VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS. GET IMMEDIATE MEDICAL ATTENTION.

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 6

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: OMNICOLOR MID BLUE  
PRODUCT CODE: UN5011\*

SECTION VI - HEALTH HAZARD DATA: (CONT)

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,  
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL  
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

SPILLS SHOULD BE PLACED IN SUITABLE CONTAINERS FOR DISPOSAL IN A LICENSED  
FACILITY. WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING  
AND PROVIDE ADEQUATE VENTILATION DURING CLEAN-UP.

HANDLING: WASTE DISPOSAL

OBEY APPLICABLE FEDERAL, STATE AND LOCAL LAWS. DO NOT CONTAMINATE ANY  
LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

HANDLING: STORAGE

DO NOT STORE WITH OR NEAR ACIDS. AVOID DUST ACCUMULATION.

HANDLING: OTHER PRECAUTIONS

USE UNDER WELL-VENTILATED CONDITIONS AND RECOMMEND THAT EMPLOYEES WASH  
THOROUGHLY AFTER HANDLING PRODUCT.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

A NIOSH/MSHA APPROVED AIR PURIFYING RESPIRATOR WITH A DUST/MIST  
CARTRIDGE OR CANISTER MAY BE PERMISSIBLE UNDER CERTAIN CIRCUMSTANCES WHERE  
AIRBORNE CONCENTRATIONS ARE EXPECTED TO EXCEED EXPOSURE LIMITS. PROTECTION  
PROVIDED BY AIR PURIFYING RESPIRATORS IS LIMITED. USE A POSITIVE PRESSURE  
AIR-SUPPLIED RESPIRATOR IF THERE IS ANY POTENTIAL FOR AN UNCONTROLLED  
RELEASE, EXPOSURE LEVELS ARE NOT KNOWN, OR ANY OTHER CIRCUMSTANCES WHERE  
AIR-PURIFYING RESPIRATORS MAY NOT PROVIDE ADEQUATE PROTECTION.

CONTROL: VENTILATION

PROVIDE LOCAL EXHAUST VENTILATION. VENTILATION EQUIPMENT SHOULD BE  
EXPLOSION-PROOF IF EXPLOSIVE CONCENTRATIONS OF DUST, VAPOR OR FUME ARE  
PRESENT.

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 7

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION VIII - CONTROL MEASURES: (CONT)

CONTROL: GLOVES

IMPERVIOUS GLOVES

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

TO PREVENT SKIN CONTACT WEAR SKIN PROTECTION, SUCH AS IMPERVIOUS GLOVES,  
APRON, WORKPANTS, LONG SLEEVE WORKSHIRT, OR DISPOSABLE COVERALLS.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%) DESCRIPTION
NONE	

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE CANCER ARE LISTED BELOW:

CARBON BLACK CAS# 1333-86-4 <0.2%  
HEXACHLOROBENZENE CAS# 118-74-1 25 PPB  
CRYSTALLINE SILICA (IMPURITY)

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 3/24/08  
PAGE: 8

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: HTTP://WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

SECTION X - STATE REGULATORY INFORMATION: (CONT)

MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM  
ARE LISTED BELOW:

NONE

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
AS GIVEN IN WHMIS IS SHOWN BELOW:

NONE

FLORIDA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE FLORIDA HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

MASSACHUSETTS: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE MASSACHUSETTS HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

C.I. PIGMENT BLACK 7 CAS# 1333-86-4

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

C.I. PIGMENT BLUE 15 CAS# 147-14-8

C.I. PIGMENT GREEN 7 CAS# 1328-53-6

C.I. PIGMENT BLACK 7 CAS# 1333-86-4

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITHHELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

C.I. PIGMENT BLACK 7 CAS# 1333-86-4

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS



SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 3/24/08  
PAGE: 9

HOLDEN-CLARIANT MASTERBATCHES  
85 HOLDEN INDUSTRIAL PARK  
HOLDEN MA 01520  
PHONE: 508-829-6321

EMERGENCY TELEPHONE: 269-753-8434

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: OMNIColor MID BLUE  
PRODUCT CODE: UN5011\*

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.  
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT  
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE  
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS  
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER  
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.