

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name : UNISILKON LCA 3801

Article-No. : 022100

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Grease

Recommended restrictions  
on use : Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : Klüber Lubrication München  
Geisenhausenerstr. 7  
81379 München  
Deutschland  
Tel: +49 (0) 89 7876 0  
Fax: +49 (0) 89 7876 333  
info@klueber.com

E-mail address of person  
responsible for the SDS : mcm@klueber.com  
Material Compliance Management

National contact : Klüber Lubrication Italia  
S.A.S. di G. Colori  
Via Monferrato 57, Sesto Ulteriano  
20098 San Giuliano Milanese (MI)  
Italia  
+39-02-98213-1  
Fax: +39-02-98281595  
klita@it.klueber.com

#### 1.4 Emergency telephone number

Emergency telephone  
number : 02/66101029 (Ospedale Niguarda - Milano)  
0382/24444 (Istituto Maugeri - Pavia)  
055/7947819 (Ospedale Careggi - Firenze)  
06/3054343 (Policlinico Gemelli - Roma)  
081/7472870 (Ospedale Cardarelli - Napoli)  
035/269469 - 800.883300 (Ospedali Riuniti - Bergamo)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>17.04.2019 | Date of last issue: 12.03.2019<br>Date of first issue: 01.06.2015 | Print Date:<br>17.04.2019 |
|----------------|------------------------------|---|---------------------------|

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Chemical nature : silicone oil  
lithium soap  
Calcium soap

##### Hazardous components

| Chemical name                                | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number  | Classification | Concentration limits<br>M-Factor<br>Notes | Concentration<br>(% w/w) |
|--|--|----------------|---|--------------------------|
| Substances with a workplace exposure limit : |  |                |   |                          |
| lithium 12-hydroxystearate                   | 7620-77-1<br>231-536-5<br><br>01-2119970893-23-XXXX<br>01-2119970893-23-XXXX<br>01-2119970893-23-XXXX<br>01-2119970893-23-XXXX |                |   | >= 1 - < 10              |

For explanation of abbreviations see section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.  
Wash off with soap and water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
Do not induce vomiting without medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : No information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet

#### 5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Fire may cause evolution of:  
Carbon oxides  
Metal oxides

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. In the case of respirable dust and/or fumes, use self-contained breathing apparatus. Exposure to decomposition products may be a hazard to health.

Further information : Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.

### 6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Wash hands and face before breaks and immediately after handling the product.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.

### 7.3 Specific end use(s)

Specific use(s) : Specific instructions for handling, not required.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

| Components                 | CAS-No.   | Value type (Form of exposure) | Control parameters   | Basis              |
|----------------------------|-----------|-------------------------------|----------------------|--------------------|
| lithium 12-hydroxystearate | 7620-77-1 | TWA (Inhalable fraction)      | 10 mg/m <sup>3</sup> | ACGIH (2017-03-01) |
|                            |           | TWA (Respirable fraction)     | 3 mg/m <sup>3</sup>  | ACGIH (2017-03-01) |

### 8.2 Exposure controls

#### Engineering measures

none

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

#### Hand protection

Material : Nitrile rubber  
Protective index : Class 1

Remarks : For prolonged or repeated contact use protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.  
Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the spe-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>17.04.2019 | Date of last issue: 12.03.2019<br>Date of first issue: 01.06.2015 | Print Date:<br>17.04.2019 |
|----------------|------------------------------|---|---------------------------|

cific work-place.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|  |   |                                   |
|--|---|-----------------------------------|
| Appearance                             | : | paste                             |
| Colour                                 | : | beige                             |
| Odour                                  | : | characteristic                    |
| Odour Threshold                        | : | No data available                 |
| pH                                     | : | No data available                 |
| Melting point/range                    | : | Not applicable                    |
| Boiling point/boiling range            | : | No data available                 |
| Flash point                            | : | Not applicable                    |
| Evaporation rate                       | : | No data available                 |
| Flammability (solid, gas)              | : | Combustible Solids                |
| Upper explosion limit                  | : | No data available                 |
| Lower explosion limit                  | : | No data available                 |
| Vapour pressure                        | : | < 0,001 hPa (20 °C)               |
| Relative vapour density                | : | No data available                 |
| Density                                | : | 0,97 g/cm <sup>3</sup><br>(20 °C) |
| Bulk density                           | : | No data available                 |
| Solubility(ies)                        | : |                                   |
| Water solubility                       | : | insoluble                         |
| Solubility in other solvents           | : | No data available                 |
| Partition coefficient: n-octanol/water | : | No data available                 |
| Auto-ignition temperature              | : | No data available                 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

Decomposition temperature : No data available

### Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

### 9.2 Other information

Sublimation point : No data available

Self-ignition : No data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No hazards to be specially mentioned.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : No conditions to be specially mentioned.

### 10.5 Incompatible materials

Materials to avoid : No materials to be especially mentioned.

### 10.6 Hazardous decomposition products

Hazardous decomposition products : >150 °C small quantities of formaldehyde may be formed.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

#### Product:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

### Components:

#### **lithium 12-hydroxystearate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 3.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

#### Product:

Remarks: This information is not available.

### Components:

#### **lithium 12-hydroxystearate:**

Assessment: No skin irritation  
Method: OECD Test Guideline 439  
Result: No skin irritation

### **Serious eye damage/eye irritation**

#### Product:

Remarks: This information is not available.

### Components:

#### **lithium 12-hydroxystearate:**

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation

### **Respiratory or skin sensitisation**

#### Product:

Remarks: This information is not available.

### Components:

#### **lithium 12-hydroxystearate:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

---

Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: negative

### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### Carcinogenicity

**Product:**

Remarks: No data available

### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### Repeated dose toxicity

**Product:**

Remarks: This information is not available.

### Aspiration toxicity

**Product:**

This information is not available.

### Further information

**Product:**

Remarks: Information given is based on data on the components and the toxicology of similar products.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae : Remarks: No data available

Toxicity to microorganisms :  
Remarks: No data available

##### Components:

##### **lithium 12-hydroxystearate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
  
NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

#### 12.2 Persistence and degradability

##### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

##### Components:

##### **lithium 12-hydroxystearate:**

Biodegradability : Test Type: Primary biodegradation  
Inoculum: activated sludge

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

Result: rapidly biodegradable  
Biodegradation: 74,7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### 12.3 Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **lithium 12-hydroxystearate:**

Partition coefficient: n-octanol/water : log Pow: 2,6

### 12.4 Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>17.04.2019 | Date of last issue: 12.03.2019<br>Date of first issue: 01.06.2015 | Print Date:<br>17.04.2019 |
|----------------|------------------------------|---|---------------------------|

Waste codes should be assigned by the user based on the application for which the product was used.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

The following Waste Codes are only suggestions:

### SECTION 14: Transport information

#### 14.1 UN number

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.2 UN proper shipping name

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

#### 14.4 Packing group

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

#### 14.5 Environmental hazards

ADR : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good

#### 14.6 Special precautions for user

No special precautions required.

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|                |                              |   |                           |
|----------------|------------------------------|---|---------------------------|
| Version<br>3.0 | Revision Date:<br>17.04.2019 | Date of last issue: 12.03.2019<br>Date of first issue: 01.06.2015 | Print Date:<br>17.04.2019 |
|----------------|------------------------------|---|---------------------------|

Remarks : Not applicable for product as supplied.

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)  
Volatile organic compounds (VOC) content: 0,1 %  
Remarks: VOC content excluding water

Other regulations:

Legislative Decree April 9,2008, 81 (Implementation of Article 1 of the Law of 3 August 2007, n. 123, concerning the protection of health and safety in the workplace.) and subsequent amendments

Legislative Decree April 3, 2006, n.152, (Environmental standards) and subsequent amendments

Legislative Decree February 6, 2009, 21 (Regulations for the execution of the provisions laid down in Regulation (EC) no. 648/2004 on detergents)

#### 15.2 Chemical safety assessment

This information is not available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT

**KLÜBER**  
LUBRICATION

## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

### SECTION 16: Other information

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

This safety data sheet applies only to products originally packed and labelled by KLÜBER LUBRICATION. The information contained therein may not be reproduced or modified without the express written permission of KLÜBER LUBRICATION. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of our safety data sheets (e.g. as a document for download from the Internet) is not permitted without the express written consent of KLÜBER LUBRICATION. KLÜBER LUBRICATION provides its customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instruc-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 - IT



## UNISILKON LCA 3801

|         |                |                                 |             |
|---------|----------------|---------------------------------|-------------|
| Version | Revision Date: | Date of last issue: 12.03.2019  | Print Date: |
| 3.0     | 17.04.2019     | Date of first issue: 01.06.2015 | 17.04.2019  |

---

tions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorised trading partner of KLÜBER LUBRICATION.